ELSEVIER

Brain Research 764 (1997) 303–305

BRAIN RESEARCH

Author Index

Achaval, M., see Lenz, G. (764) 188
Adachi, N., see Lei, B. (764) 299
Adler-Graschinsky, E., see Del Carmen García, M. (764) 67
Aika, Y., see Nomura, T. (764) 197
Aizawa, Y., see Yoshida, T. (764) 283
Ala, T.A., see Venters Jr., H.D. (764) 93
Almeida, A. and Medina, J.M.
Isolation and characterization of tightly coupled mitochondria from neurons and astrocytes in primary culture (764) 167
Andersson, A., see Bixo, M. (764) 173
Angeretti, N., see Lucca, E. (764) 293
Antonawich, F.J., Melton, C.S., Wu, P. and Davis, J.N.
Nesting and shredding behavior as an indicator of hippocampal ischemic damage (764) 249
Arai, T., see Lei, B. (764) 299

Bäckström, T., see Bixo, M. (764) 173
Banerjee, S.P., see Lidsky, T.I. (764) 46
Bare, C., see Cory-Slechta, D.A. (764) 253
Beattie, B.L., see Lanius, R.A. (764) 75
Bixo, M., Andersson, A., Winblad, B., Purdy, R.H. and Bäckström, T.
Progesterone, 5α-pregnane-3,20-dione and 3α-hydroxy-5α-pregnane-20-one in specific regions of the human female brain in different endocrine states (764) 173
Bonilla, L.E., see Venters Jr., H.D. (764) 93
Bordayo, E.Z., see Venters Jr., H.D. (764) 93
Boushy, D., see Wiebe, J.P. (764) 158
Buerk, D.G., see Osanai, S. (764) 221

Cansino, S. and Williamson, S.J.
Neuromagnetic fields reveal cortical plasticity when learning an auditory discrimination task (764) 53
Carlton, S.M., see Coggeshall, R.E. (764) 126
Celuch, S.M., see Del Carmen García, M. (764) 67
Chapman, I., see Hope, P.J. (764) 39
Charlton, M.E., Williams, A.S., Fogliano, M., Sweetnam, P.M. and Duman, R.S.
The isolation and characterization of a novel G protein-coupled receptor regulated by immunologic challenge (764) 141
Chiu, F.-C., see Hao, H.-N. (764) 149
Cho, H.-J., Kim, J.-K., Zhou, X.-F. and Rush, R.A.
Increased brain-derived neurotrophic factor immunoreactivity in rat dorsal root ganglia and spinal cord following peripheral inflammation (764) 269
Coggeshall, R.E., Zhou, S. and Carlton, S.M.
Opioid receptors on peripheral sensory axons (764) 126
Correddu, P., see Sechi, G.P. (764) 230
Cory-Slechta, D.A., Pazmino, R. and Bare, C.
The critical role of nucleus accumbens dopamine systems in the mediation of fixed interval schedule-controlled operant behavior (764) 253

Dao, L., see Gómez-Pinilla, F. (764) 1
Davis, J.N., see Antonawich, F.J. (764) 249
Deiana, G.A., see Sechi, G.P. (764) 230
Del Carmen García, M., Celuch, S.M. and Adler-Graschinsky, E.
Possible participation of spinal nitric oxide in the control of the blood pressure in anesthetized rats (764) 67
Denisova, N., see Tian, M. (764) 28
Derbidge, D.S., see Michel, W.C. (764) 179
Deriu, F., see Sechi, G.P. (764) 230
De Riu, P.L., see Sechi, G.P. (764) 230
Disshon, K.A. and Dluzen, D.E.
Estrogen as a neuromodulator of MPTP-induced neurotoxicity: effects upon striatal dopamine release (764) 9
Dluzen, D.E., see Disshon, K.A. (764) 9
Duman, R.S., see Charlton, M.E. (764) 141
Dux, E., see Vogel, P. (764) 205

Ellrich, J., Hopf, H.C. and Treede, R.-D.
Nociceptive masseter inhibitory reflexes evoked by laser radiant heat and electrical stimuli (764) 214
Emson, P.C., see Nomura, T. (764) 197
Engvall, E., see Hagg, T. (764) 17
Engvall, E., see Tian, M. (764) 28

Farkas, E., Jansen, A.S.P. and Loewy, A.D.
Periaqueductal gray matter projection to vagal preganglionic neurons and the nucleus tractus solitarius (764) 257
Feldman, H., see Lanius, R.A. (764) 75
Fogliano, M., see Charlton, M.E. (764) 141
Forloni, G., see Lucca, E. (764) 293
Frey II, W.H., see Venters Jr., H.D. (764) 93
Fujii, N., see Yoshida, T. (764) 283
Fukatsu, R., see Yoshida, T. (764) 283
Fukuda, T., Heizmann, C.W. and Kosaka, T.
Quantitative analysis of GAD65 and GAD67 immunoreactivities in somata of GABAergic neurons in the mouse hippocampus proper (CA1 and CA3 regions), with special reference to parvalbumin-containing neurons (764) 237
Fukuda, T., see Nomura, T. (764) 197
Furuse, M., Matsumoto, M., Mori, R., Sugahara, K., Kano, K. and Hasegawa, S.
Influence of fasting and neuropeptide Y on the suppressive food intake induced by intracerebroventricular injection of glucagon-like peptide-1 in the neonatal chick (764) 289

Gafni, M., see Keren, O. (764) 277
Garner, H.P., see Venters Jr., H.D. (764) 93
Gómez-Pinilla, F., Dao, L. and So, V.
Physical exercise induces FGF-2 and its mRNA in the hippocampus (764) 1
Gottardo, S., see Lenz, G. (764) 188
Grubb, M.C., see Stornetta, R.L. (764) 81
Guo, Y., see Regan, R.F. (764) 133
Guyenet, P.G., see Stornetta, R.L. (764) 81

Hagg, T., Portera-Cailliau, C., Jucker, M. and Engvall, E.
Laminins of the adult mammalian CNS; laminin-α2 (merosin M-) chain immunoreactivity is associated with neuronal processes (764) 17
Hagg, T., see Tian, M. (764) 28
Handa, R.J., see Yukhananov, R.Y. (764) 109
Hao, H.-N., Chiu, F.-C., Losev, L., Weidenheim, K.M., Rashbaum, W.K. and Lyman, W.D.
HIV infection of human fetal neural cells is mediated by gp120 binding to a cell membrane-associated molecule that is not CD4 nor galactocerebroside (764) 149
Hasegawa, S., see Furuse, M. (764) 289
Hayashi, Y., see Yoshida, T. (764) 283
Heizmann, C.W., see Fukuda, T. (764) 237
Heizmann, C.W., see Nomura, T. (764) 197
Hope, P.J., Chapman, I., Morley, J.E., Horowitz, M. and Wittert, G.A.
Food intake and food choice: the role of the endogenous opioid peptides in the marsupial *Sminthopsis crassicaudata* (764) 39
Hopf, H.C., see Ellrich, J. (764) 214
Horowitz, M., see Hope, P.J. (764) 39

Jansen, A.S.P., see Farkas, E. (764) 257
Jensen, T., see Venters Jr., H.D. (764) 93
Jucker, M., see Hagg, T. (764) 17
Jucker, M., see Tian, M. (764) 28

Kamei, J., see Ohsawa, M. (764) 244
Kano, K., see Furuse, M. (764) 289
Kasai, T., Toyoda, Y. and Yahagi, S.
Motor evoked potentials (MEPs) and H-reflexes are not equally sensitive to voluntary motor commands (764) 273
Keren, O., Gafni, M. and Sarne, Y.
Opioids potentiate transmitter release from SK-N-SH human neuroblastoma cells by modulating N-type calcium channels (764) 277
Kim, J.-K., see Cho, H.-J. (764) 269
Knusel, B., see Tian, M. (764) 28
Kobayashi, T., see Nomura, T. (764) 197
Koo, E.H., see Sawamura, N. (764) 225
Kosaka, T., see Fukuda, T. (764) 237
Kosaka, T., see Nomura, T. (764) 197
Krieger, C., see Lanius, R.A. (764) 75

Lahiri, S., see Osanai, S. (764) 221
Lanius, R.A., Wagey, R., Sahl, B., Beattie, B.L., Feldman, H., Pelech, S.L. and Krieger, C.
Protein kinase C activity and protein levels in Alzheimer's disease (764) 75
Lei, B., Adachi, N., Nagaro, T. and Arai, T.
The effect of dopamine depletion on the H_2O_2 production in the rat striatum following transient middle cerebral artery occlusion (764) 299
Lenz, G., Manozzo, L., Gottardo, S., Achaval, M., Salbego, C. and Rodnight, R.
Temporal profiles of the in vitro phosphorylation rate and immunocontent of glial fibrillary acidic protein (GFAP) after kainic acid-induced lesions in area CA1 of the rat hippocampus: demonstration of a novel phosphoprotein associated with gliosis (764) 188
Lidsky, T.I., Yablonsky-Alter, E., Zuck, L.G. and Banerjee, S.P.
Antipsychotic drug effects on glutamatergic activity (764) 46
Loewy, A.D., see Farkas, E. (764) 257
Losev, L., see Hao, H.-N. (764) 149
Lucca, E., Angeretti, N. and Forloni, G.
Influence of cell culture conditions on the protective effect of antioxidants against β-amyloid toxicity: studies with lazaroids (764) 293
Lyman, W.D., see Hao, H.-N. (764) 149

Manozzo, L., see Lenz, G. (764) 188
Mason, R.P., see Venters Jr., H.D. (764) 93
Matsumoto, M., see Furuse, M. (764) 289
McNaughton, N., see Pan, W.-X. (764) 101
Medina, J.M., see Almeida, A. (764) 167
Melton, C.S., see Antonawich, F.J. (764) 249
Michel, W.C. and Derbidge, D.S.
Evidence of distinct amino acid and bile salt receptors in the olfactory system of the zebrafish, *Danio rerio* (764) 179
Mokashi, A., see Osanai, S. (764) 221
Mori, H., see Sawamura, N. (764) 225
Mori, R., see Furuse, M. (764) 289
Morley, J.E., see Hope, P.J. (764) 39

Nagaro, T., see Lei, B. (764) 299
Najarian, M.M., see Venters Jr., H.D. (764) 93
Nomura, T., Fukuda, T., Aika, Y., Heizmann, C.W., Emson, P.C., Kobayashi, T. and Kosaka, T.
Laminar distribution of non-principal neurons in the rat hippocampus, with special reference to their compositional difference among layers (764) 197

Obrenovitch, T.P., see Taylor, D.L. (764) 117
Ohsawa, M. and Kamei, J.
Pretreatment with the protein kinase C activator phorbol 12,13-dibutyrate attenuates the ethanol-induced loss of the righting reflex in mice: modification by diabetes (764) 244
Osanai, S., Rozanov, C., Mokashi, A., Buerk, D.G. and Lahiri, S.
CO interact with intracellular $[H^+]$ with and without CO_2–HCO_3^- in the cat carotid chemosensory discharge (764) 221

Pan, W.-X. and McNaughton, N.
The medial supramammillary nucleus, spatial learning and the frequency of hippocampal theta activity (764) 101
Pazmino, R., see Cory-Slechta, D.A. (764) 253
Pelech, S.L., see Lanius, R.A. (764) 75
Petruzzi, V., see Sechi, G.P. (764) 230
Portera-Cailliau, C., see Hagg, T. (764) 17
Purdy, R.H., see Bixo, M. (764) 173

Rashbaum, W.K., see Hao, H.-N. (764) 149
Regan, R.F. and Guo, Y.
Estrogens attenuate neuronal injury due to hemoglobin, chemical hypoxia, and excitatory amino acids in murine cortical cultures (764) 133
Rodnight, R., see Lenz, G. (764) 188
Rosati, G., see Sechi, G.P. (764) 230
Rozanov, C., see Osanai, S. (764) 221
Rush, R.A., see Cho, H.-J. (764) 269

Sahl, B., see Lanius, R.A. (764) 75
Sajdyk, T.J. and Shekhar, A.
Excitatory amino acid receptors in the basolateral amygdala regulate anxiety responses in the social interaction test (764) 262
Salbego, C., see Lenz, G. (764) 188
Sarne, Y., see Keren, O. (764) 277
Sasaki, N., see Yoshida, T. (764) 283
Sawamura, N., Tamaoka, A., Shoji, S., Koo, E.H., Walker, L.C. and Mori, H.
Characterization of amyloid β protein species in cerebral amyloid angiopathy of a squirrel monkey by immunocytochemistry and enzyme-linked immunosorbent assay (764) 225
Sechi, G.P., Rosati, G., Deiana, G.A., Petruzzi, V., Deriu, F., Correddu, P. and De Riu, P.L.
Co-variation of free amino acids in brain interstitial fluid during pentylenetetrazole-induced convulsive status epilepticus (764) 230
Seller, H., see Zanzinger, J. (764) 265
Shekhar, A., see Sajdyk, T.J. (764) 262
Shoji, S., see Sawamura, N. (764) 225
So, V., see Gómez-Pinilla, F. (764) 1
Stornetta, R.L., Grubb, M.C. and Guyenet, P.G.
Atipamezole-precipitated clonidine withdrawal induces c-Fos expression in rat central nervous system (764) 81
Sugahara, K., see Furuse, M. (764) 289
Sweetnam, P.M., see Charlton, M.E. (764) 141

Takahata, N., see Yoshida, T. (764) 283
Takamaru, Y., see Yoshida, T. (764) 283
Tamaoka, A., see Sawamura, N. (764) 225
Taylor, D.L., Urenjak, J., Zilkha, E. and Obrenovitch, T.P.
Effects of probenecid on the elicitation of spreading depression in the rat striatum (764) 117
Tian, M., Hagg, T., Denisova, N., Knusel, B., Engvall, E. and Jucker, M.
Laminin-α2 chain-like antigens in CNS dendritic spines (764) 28
Toyoda, Y., see Kasai, T. (764) 273
Treede, R.-D., see Ellrich, J. (764) 214
Tsuzuki, K., see Yoshida, T. (764) 283

Urenjak, J., see Taylor, D.L. (764) 117

Venters Jr., H.D., Bonilla, L.E., Jensen, T., Garner, H.P., Bordayo, E.Z., Najarian, M.M., Ala, T.A., Mason, R.P. and Frey II, W.H.
Heme from Alzheimer's brain inhibits muscarinic receptor binding via thiyl radical generation (764) 93
Vogel, P., Dux, E. and Wiessner, C.
Evidence of apoptosis in primary neuronal cultures after heat shock (764) 205

Wagey, R., see Lanius, R.A. (764) 75
Walker, L.C., see Sawamura, N. (764) 225
Weidenheim, K.M., see Hao, H.-N. (764) 149
Wiebe, J.P., Boushy, D. and Wolfe, M.
Synthesis, metabolism and levels of the neuroactive steroid, 3α-hydroxy-4-pregnen-20-one (3αHP), in rat pituitaries (764) 158
Wiessner, C., see Vogel, P. (764) 205
Williams, A.S., see Charlton, M.E. (764) 141
Williamson, S.J., see Cansino, S. (764) 53
Winblad, B., see Bixo, M. (764) 173
Wittert, G.A., see Hope, P.J. (764) 39
Wolfe, M., see Wiebe, J.P. (764) 158
Wu, P., see Antonawich, F.J. (764) 249

Yablonsky-Alter, E., see Lidsky, T.I. (764) 46
Yahagi, S., see Kasai, T. (764) 273
Yoshida, T., Fukatsu, R., Tsuzuki, K., Aizawa, Y., Hayashi, Y., Sasaki, N., Takamaru, Y., Fujii, N. and Takahata, N.
Amyloid precursor protein, Aβ and amyloid-associated proteins involved in chloroquine retinopathy in rats – immunopathological studies (764) 283

Yukhananov, R.Y. and Handa, R.J.
Estrogen alters proenkephalin RNAs in the paraventricular nucleus of the hypothalamus following stress (764) 109

Zanzinger, J. and Seller, H.
Species differences in the distribution of nitric oxide synthase in brain stem regions that regulate sympathetic activity (764) 265

Zhou, S., see Coggeshall, R.E. (764) 126
Zhou, X.-F., see Cho, H.-J. (764) 269
Zilkha, E., see Taylor, D.L. (764) 117
Zuck, L.G., see Lidsky, T.I. (764) 46